

## **PRODUCT RANGE**

IPNZ Item	IPNZ Description
EBM0066	500mm x 1500M x 20um IPEX UV MACHINE FILM

Properties				
Measurement	Unit	Target	Test Method	
Gauge	um	20 (+/- 2um)		
Film Width	mm	500 (+/-3mm)	Measuring Tape	
Roll Length	М	1500		
Roll Weight	kg	13.80 (+/- 3%)	Electronic Scale	
Core size ID	mm	77		
Pallets		IP Printed 1200 x 1200mm		
Rolls per pallet		50		
Storage		Before film is used it should be kept out of direct natural light/sunlight and in a well-ventilated area at a cool ambient temperature.		
Product Stewardship and Recyclability		Industrial plastics waste companies and recyclers can collect this material for recycling where enough clean PE film is available. This stretch film is code 4 for New Zealand recycling purposes. Cardboard cores can be recycled by Industrial recyclers if film and tape is removed.		
		Cardboard layer boards and wrapping used as packaging recycled using typical recycling channels.	on the pallet can be	
UV Statement		This film is UV stabilised for outdoor exposure. Film will last up to two years under New Zealand UV exposure		
Food Contact		This material is manufactured in a HACCP approved plant. The materials used to manufacture this item comply with U.S. FDA Title 21 Code of Regulations Parts 170 – 199 and EU – Commission Regulation No 10/2011. This film is intended for use as secondary and tertiary packaging material not in direct food contact.		

This technical data sheet and the information contained therein are the property of Integrated Packaging and are disclosed to the specified Customer in confidence. This document must not be copied or otherwise disclosed to any other person or corporation without written permission from Integrated Packaging. The Information tabled are nominal values and do not constitute as a specification.