



**青岛华鼎进出口有限公司**

**Qingdao Huading Imp. and Exp. Co.,Ltd.**


Room 1102,Building 1, No.39,Shiling Road,Qingdao,Shandong,China

TEL:0086-532-88588179/ 0086-532-88912335

---

## **HDFCWS1210B INTRODUCTION**

### **1、 Product Figure**





# 青岛华鼎进出口有限公司

## Qingdao Huading Imp. and Exp. Co.,Ltd.


Room 1102,Building 1, No.39,Shiling Road,Qingdao,Shandong,China

TEL:0086-532-88588179/ 0086-532-88912335

## 2、 Product Data Sheet

Specification:	1200×1000×150 mm		
Load Capacity:	Static Load: 6T	Dynamic Load: 1.5T	Racking Load: 1T
Unit Weight	23KG±0.5kg		
Material	HDPE or PP		
Usage temperature	-25℃～40℃		
Colour	According to customer demand		
Mark	Integrated printing		
	silk screen printing		
Structure characteristic:	Deck type	Close decks	
	Bottom type	Full perimeter bottom(6 runners)	
	Steel tubes reinforced	Decks	pcs steel tubes
		Bottom	pcs steel tubes
	production process	Injection and Assembling	

## 3.Specification





## 青岛华鼎进出口有限公司 Qingdao Huading Imp. and Exp. Co.,Ltd.

Room 1102,Building 1, No.39,Shiling Road,Qingdao,Shandong,China


TEL:0086-532-88588179/ 0086-532-88912335

### 4.Product Features

- 1) four into the fork design, easy to use, adapted to the manual hydraulic truck ground handling and forklift space handling;
- 2) with wooden pallets irreplaceable advantages: moisture, mildew, no nails, no thorns, no pests,recyclable, safety and health;
- 3) the pallet is made of low-pressure high-density polyethylene, non-toxic harmless, non-polluting, can be widely used in food,medicine, storage and transportation industries.

### 5.Product Advantages

- 1)A national standard recommended selection of the tray size specifications of products, single-sided use, four-way into the fork, for manual hydraulic truck ground handling and forklift space handling



**Four sides into the road diagram**

- 2)within the product plus steel pipe, improve product strength, to ensure that the load capacity, so that the use of more secure products.




# 青岛华鼎进出口有限公司

## Qingdao Huading Imp. and Exp. Co.,Ltd.

Room 1102,Building 1, No.39,Shiling Road,Qingdao,Shandong,China

TEL:0086-532-88588179/ 0086-532-88912335

3)the use of assembly, plug buckle structure design to facilitate product maintenance, reduce the use of cost.



4)The product is equipped with anti-skid, to prevent the movement of goods, so that the tray packaging handling more secure



Cargo anti-slip

5)Forks on both sides of the round design, the bottom of the orifice slope design, can reduce the impact of forklift and hydraulic vehicles



Round edge

Bottom bevel




## 青岛华鼎进出口有限公司

Qingdao Huading Imp. and Exp. Co.,Ltd.


Room 1102,Building 1, No.39,Shiling Road,Qingdao,Shandong,China

TEL:0086-532-88588179/ 0086-532-88912335




### Chamfered edge are easy for hand fork lifter and forklift

6)Pallet in the use of custom-made rounded corners of the steel, to ensure that the pallet has a good rigidity at the same time can be eliminated.In addition to sharp corners stress, to prevent the damage to the pallet.



7)The bottom of the middle position with a lid of the RFID chip placement hole to meet the tray for information management





**青岛华鼎进出口有限公司**

**Qingdao Huading Imp. and Exp. Co.,Ltd.**

Room 1102,Building 1, No.39,Shiling Road,Qingdao,Shandong,China

TEL:0086-532-88588179/ 0086-532-88912335

---

## **6.Others**

### **1)appearance requirements**

pallet surface without flash, burr, no effect on the use of cracks and deformation.

### **2)color requirements**

Monolithic pallet no obvious color, the same batch of pallet color basically consistent.

### **3)pallet inspection standards**

Reference to the national standard "GB / T 15234-1994 plastic flat pallet